


Appendix R

Degraded Water Quality Representative Monitoring Well Chemographs with


R1	Arsenic
R2	Nitrate
R3	Nitrite
R4	1,2,3-Trichloropropane (TCP)
R5	Total Dissolved Solids (TDS)
R6	Uranium

Sustainable Management Criteria

11N/21W-08A01




32S/25E-36R01




*Supplemental monitoring required – preliminary SMCs

32S/26E-14J02




32S/28E-16P02




*Supplemental monitoring required – preliminary SMCs

AGC100012326-KRWCA00069




*Supplemental monitoring required – preliminary SMCs

Berenda Mesa 3/T26S/R19E Well 2 (WESTC00025)




*Supplemental monitoring required – preliminary SMCs


BK 9 (30S/26E-16L01)




CBK 41-01, CA1510031_098_098



CBK L201, CA1510031_028_028




CWS BK 062-02, CA1510003_038_038 (RMW-211R)




*Supplemental monitoring required – preliminary SMCs

CWS BK 140-01, CA1510003_105_105 (RMW-210R)




*Supplemental monitoring required – preliminary SMCs

East Niles #23 (ENCSD), CA1510006_032_032




*Supplemental monitoring required – preliminary SMCs


Frito Lay #1, CA1502615_001_001



Greenfield Taft Well, CA1510024_004_004




HMWD #23




*Supplemental monitoring required – preliminary SMCs

Lamont #12, CA1510012_006_006




Lost Hills Utility District Well 3, CA1510046_006_006




*Supplemental monitoring required – preliminary SMCs

Meadows of the Kern 4




*Supplemental monitoring required – preliminary SMCs

Murray Family Farms Well 2, AGC100012326-KRWCA00025, CA1503565_002_002




*Supplemental monitoring required – preliminary SMCs

Nature Conservancy




*Supplemental monitoring required – preliminary SMCs

Primex Farm Water System Well 4, CA1503521_004_004




RMW-004 (30S29E29A001M)




*Supplemental monitoring required – preliminary SMCs

RMW-010 (ACSD Well #14), CA1510001_022_022




RMW-021




*Supplemental monitoring required – preliminary SMCs

RMW-025 (30S/27E-05D001) (ID4) - CBK-23




*Supplemental monitoring required – preliminary SMCs

RMW-043 (Olcese #4)




RMW-049 (30S26E15N003M)




*Supplemental monitoring required – preliminary SMCs


RMW-062a (25M Enos), AGC100012326-KRWCA00021



RMW-065a (31H Greeley), AGC100012326-KRWCA00029




RMW-067a (35H RRBWSD Shop)




Wet Above Normal Below Normal Dry Critical

RMW-070, Caratan Well




*Supplemental monitoring required – preliminary SMCs

RMW-107 (28S22E10D002M), AGC100012323-BVCWD00002




*Supplemental monitoring required – preliminary SMCs

RMW-110 (DMW 07)




RMW-113b (DMW12b)




*Supplemental monitoring required – preliminary SMCs

RMW-148 (88-29-014)




RMW-159 (SSJMUD 23), AGC100012326-KRWCA00030




*Supplemental monitoring required – preliminary SMCs


RMW-169 (28L)



RMW-172 (6C), AGC100012324-CAWDC00009




RMW-185 (EWMA #21)




*Supplemental monitoring required – preliminary SMCs

RMW-189 (EWMA #41)




*Supplemental monitoring required – preliminary SMCs

RMW-224 (31S29E10K001M)




*Supplemental monitoring required – preliminary SMCs

RMW-225 (30S30E18G001M)




*Supplemental monitoring required – preliminary SMCs


RMW-252 (Delano 30), CA1510005_036_036




RMW-256 (Wasco 12), CA1510021_017_017




RMW-257 (Shafter 14), CA1510019_009_009



RMW-271 (Shafter Well 18), CA1510019_023_023




RMW-275 (7108-66)




*Supplemental monitoring required – preliminary SMCs

RMW-281 (Delano 34), CA1510005_047_047




RMW-288 (EWMA #49)




*Supplemental monitoring required – preliminary SMCs

Well 4D1, AGC100012326-KRWCA00004




*Supplemental monitoring required – preliminary SMCs

Well 7-02, CA1510022_015_015




Well 12A2




*Supplemental monitoring required – preliminary SMCs

1.2 Nitrate

11N/21W-08A01




32S/25E-36R01




*Supplemental monitoring required – preliminary SMCs

32S/26E-14J02




32S/28E-16P02




*Supplemental monitoring required – preliminary SMCs

AGC100012326-KRWCA00069




Berenda Mesa 3/T26S/R19E Well 2 (WESTC00025)




*Supplemental monitoring required – preliminary SMCs

BK 9 (30S/26E-16L01)




*Supplemental monitoring required – preliminary SMCs


CBK 41-01, CA1510031_098_098



CBK L201, CA1510031_028_028




CWS BK 062-02, CA1510003_038_038 (RMW-211R)




*Supplemental monitoring required – preliminary SMCs

CWS BK 140-01, CA1510003_105_105 (RMW-210R)




*Supplemental monitoring required – preliminary SMCs

East Niles #23 (ENCSD), CA1510006_032_032




*Supplemental monitoring required – preliminary SMCs


Frito Lay #1, CA1502615_001_001




Greenfield Taft Well, CA1510024_004_004




HMWD #23



Lamont #12, CA1510012_006_006




Lost Hills Utility District Well 3, CA1510046_006_006




*Supplemental monitoring required – preliminary SMCs

Meadows of the Kern 4




*Supplemental monitoring required – preliminary SMCs

Murray Family Farms Well 2, AGC100012326-KRWCA00025, CA1503565_002_002




Nature Conservancy




*Supplemental monitoring required – preliminary SMCs


Primex Farm Water System Well 4, CA1503521_004_004




RMW-004 (30S29E29A001M)



RMW-010 (ACSD Well #14), CA1510001_022_022




RMW-021




*Supplemental monitoring required – preliminary SMCs

RMW-025 (30S/27E-05D001) (ID4) - CBK-23




*Supplemental monitoring required – preliminary SMCs

RMW-043 (Olcese #4)




RMW-049 (30S26E15N003M)




*Supplemental monitoring required – preliminary SMCs


RMW-062a (25M Enos), AGC100012326-KRWCA00021




RMW-065a (31H Greeley), AGC100012326-KRWCA00029



RMW-067a (35H RRBWSD Shop)




RMW-070, Caratan Well




*Supplemental monitoring required – preliminary SMCs


RMW-107 (28S22E10D002M), AGC100012323-BVCWD00002



RMW-110 (DMW 07)




RMW-113b (DMW12b)




*Supplemental monitoring required – preliminary SMCs


RMW-148 (88-29-014)




RMW-159 (SSJMUD 23), AGC100012326-KRWCA00030




RMW-169 (28L)



RMW-172 (6C), AGC100012324-CAWDC00009




RMW-185 (EWMA #21)




*Supplemental monitoring required – preliminary SMCs


RMW-189 (EWMA #41)



RMW-224 (31S29E10K001M)




RMW-225 (30S30E18G001M)




*Supplemental monitoring required – preliminary SMCs


RMW-252 (Delano 30), CA1510005_036_036




RMW-256 (Wasco 12), CA1510021_017_017




RMW-257 (Shafter 14), CA1510019_009_009



RMW-271 (Shafter Well 18), CA1510019_023_023




RMW-275 (7108-66)




*Supplemental monitoring required – preliminary SMCs

RMW-281 (Delano 34), CA1510005_047_047




RMW-288 (EWMA #49)




*Supplemental monitoring required – preliminary SMCs


Well 4D1, AGC100012326-KRWCA00004



Well 7-02, CA1510022_015_015




Well 12A2



*Supplemental monitoring required – preliminary SMCs


1.3 Nitrite

11N/21W-08A01




*Supplemental monitoring required – preliminary SMCs

32S/25E-36R01




*Supplemental monitoring required – preliminary SMCs

32S/26E-14J02




*Supplemental monitoring required – preliminary SMCs

32S/28E-16P02




*Supplemental monitoring required – preliminary SMCs

AGC100012326-KRWCA00069




*Supplemental monitoring required – preliminary SMCs

Berenda Mesa 3/T26S/R19E Well 2 (WESTC00025)




*Supplemental monitoring required – preliminary SMCs

BK 9 (30S/26E-16L01)




*Supplemental monitoring required – preliminary SMCs


CBK 41-01, CA1510031_098_098



CBK L201, CA1510031_028_028




CWS BK 062-02, CA1510003_038_038 (RMW-211R)




*Supplemental monitoring required – preliminary SMCs

CWS BK 140-01, CA1510003_105_105 (RMW-210R)




*Supplemental monitoring required – preliminary SMCs

East Niles #23 (ENCSD), CA1510006_032_032




*Supplemental monitoring required – preliminary SMCs


Frito Lay #1, CA1502615_001_001



Greenfield Taft Well, CA1510024_004_004




HMWD #23




*Supplemental monitoring required – preliminary SMCs

Lamont #12, CA1510012_006_006




Lost Hills Utility District Well 3, CA1510046_006_006




*Supplemental monitoring required – preliminary SMCs

Meadows of the Kern 4




*Supplemental monitoring required – preliminary SMCs

Murray Family Farms Well 2, AGC100012326-KRWCA00025, CA1503565_002_002




Nature Conservancy




*Supplemental monitoring required – preliminary SMCs

Primex Farm Water System Well 4, CA1503521_004_004




RMW-004 (30S29E29A001M)




*Supplemental monitoring required – preliminary SMCs

RMW-010 (ACSD Well #14), CA1510001_022_022




*Supplemental monitoring required – preliminary SMCs

RMW-021




*Supplemental monitoring required – preliminary SMCs

RMW-025 (30S/27E-05D001) (ID4) - CBK-23




*Supplemental monitoring required – preliminary SMCs

RMW-043 (Olcese #4)




*Supplemental monitoring required – preliminary SMCs

RMW-049 (30S26E15N003M)




RMW-062a (25M Enos), AGC100012326-KRWCA00021




*Supplemental monitoring required – preliminary SMCs

RMW-065a (31H Greeley), AGC100012326-KRWCA00029




*Supplemental monitoring required – preliminary SMCs

RMW-067a (35H RRBWSD Shop)




*Supplemental monitoring required – preliminary SMCs

RMW-070, Caratan Well




*Supplemental monitoring required – preliminary SMCs

RMW-107 (28S22E10D002M), AGC100012323-BVCWD00002




*Supplemental monitoring required – preliminary SMCs

RMW-110 (DMW 07)




RMW-113b (DMW12b)




*Supplemental monitoring required – preliminary SMCs

RMW-148 (88-29-014)




*Supplemental monitoring required – preliminary SMCs

RMW-159 (SSJMUD 23), AGC100012326-KRWCA00030




*Supplemental monitoring required – preliminary SMCs

RMW-169 (28L)




*Supplemental monitoring required – preliminary SMCs

RMW-172 (6C), AGC100012324-CAWDC00009




*Supplemental monitoring required – preliminary SMCs

RMW-185 (EWMA #21)




*Supplemental monitoring required – preliminary SMCs

RMW-189 (EWMA #41)




*Supplemental monitoring required – preliminary SMCs

RMW-224 (31S29E10K001M)




*Supplemental monitoring required – preliminary SMCs

RMW-225 (30S30E18G001M)




*Supplemental monitoring required – preliminary SMCs

RMW-252 (Delano 30), CA1510005_036_036




RMW-256 (Wasco 12), CA1510021_017_017




MT = 1
MO = 1
 CA MCL = 1

■ Wet
 ■ Above Normal
 ■ Below Normal
 ■ Dry
 ■ Critical


RMW-257 (Shafter 14), CA1510019_009_009



RMW-271 (Shafter Well 18), CA1510019_023_023




RMW-275 (7108-66)




*Supplemental monitoring required – preliminary SMCs

RMW-281 (Delano 34), CA1510005_047_047




RMW-288 (EWMA #49)




*Supplemental monitoring required – preliminary SMCs

Well 4D1, AGC100012326-KRWCA00004




*Supplemental monitoring required – preliminary SMCs

Well 7-02, CA1510022_015_015




Well 12A2



*Supplemental monitoring required – preliminary SMCs


1.4 1,2,3-Trichloropropane (TCP)

11N/21W-08A01




*Supplemental monitoring required – preliminary SMCs

32S/25E-36R01




*Supplemental monitoring required – preliminary SMCs

32S/26E-14J02




*Supplemental monitoring required – preliminary SMCs

32S/28E-16P02




*Supplemental monitoring required – preliminary SMCs

AGC100012326-KRWCA00069




*Supplemental monitoring required – preliminary SMCs

Berenda Mesa 3/T26S/R19E Well 2 (WESTC00025)




*Supplemental monitoring required – preliminary SMCs

BK 9 (30S/26E-16L01)




*Supplemental monitoring required – preliminary SMCs


CBK 41-01, CA1510031_098_098



CBK L201, CA1510031_028_028




CWS BK 062-02, CA1510003_038_038 (RMW-211R)




*Supplemental monitoring required – preliminary SMCs

CWS BK 140-01, CA1510003_105_105 (RMW-210R)




*Supplemental monitoring required – preliminary SMCs

East Niles #23 (ENCSD), CA1510006_032_032




*Supplemental monitoring required – preliminary SMCs


Frito Lay #1, CA1502615_001_001



Greenfield Taft Well, CA1510024_004_004




HMWD #23




*Supplemental monitoring required – preliminary SMCs

Lamont #12, CA1510012_006_006




Lost Hills Utility District Well 3, CA1510046_006_006




*Supplemental monitoring required – preliminary SMCs

Meadows of the Kern 4




*Supplemental monitoring required – preliminary SMCs

Murray Family Farms Well 2, AGC100012326-KRWCA00025, CA1503565_002_002




*Supplemental monitoring required – preliminary SMCs

Nature Conservancy




*Supplemental monitoring required – preliminary SMCs

Primex Farm Water System Well 4, CA1503521_004_004




RMW-004 (30S29E29A001M)




*Supplemental monitoring required – preliminary SMCs

RMW-010 (ACSD Well #14), CA1510001_022_022




*Supplemental monitoring required – preliminary SMCs

RMW-021




*Supplemental monitoring required – preliminary SMCs

RMW-025 (30S/27E-05D001) (ID4) - CBK-23




*Supplemental monitoring required – preliminary SMCs

RMW-043 (Olcese #4)




*Supplemental monitoring required – preliminary SMCs

RMW-049 (30S26E15N003M)




*Supplemental monitoring required – preliminary SMCs

RMW-062a (25M Enos), AGC100012326-KRWCA00021




*Supplemental monitoring required – preliminary SMCs

RMW-065a (31H Greeley), AGC100012326-KRWCA00029




*Supplemental monitoring required – preliminary SMCs

RMW-067a (35H RRBWSD Shop)




*Supplemental monitoring required – preliminary SMCs

RMW-070, Caratan Well



*Supplemental monitoring required – preliminary SMCs


RMW-107 (28S22E10D002M), AGC100012323-BVCWD00002



MT = 7
MO = 7
 CA MCL = 5

*Supplemental monitoring required – preliminary SMCs


RMW-110 (DMW 07)



MT = 7
MO = 7
 CA MCL = 5


*Supplemental monitoring required – preliminary SMCs

RMW-113b (DMW12b)




*Supplemental monitoring required – preliminary SMCs

RMW-148 (88-29-014)




RMW-159 (SSJMUD 23), AGC100012326-KRWCA00030




*Supplemental monitoring required – preliminary SMCs

RMW-169 (28L)




*Supplemental monitoring required – preliminary SMCs

RMW-172 (6C), AGC100012324-CAWDC00009




*Supplemental monitoring required – preliminary SMCs

RMW-185 (EWMA #21)




*Supplemental monitoring required – preliminary SMCs

RMW-189 (EWMA #41)




*Supplemental monitoring required – preliminary SMCs

RMW-224 (31S29E10K001M)




*Supplemental monitoring required – preliminary SMCs

RMW-225 (30S30E18G001M)




*Supplemental monitoring required – preliminary SMCs


RMW-252 (Delano 30), CA1510005_036_036




RMW-256 (Wasco 12), CA1510021_017_017




RMW-257 (Shafter 14), CA1510019_009_009



RMW-271 (Shafter Well 18), CA1510019_023_023




RMW-275 (7108-66)




*Supplemental monitoring required – preliminary SMCs

RMW-281 (Delano 34), CA1510005_047_047




RMW-288 (EWMA #49)



■ *MT = 5*
■ *MO = 5*
CA MCL = 5


*Supplemental monitoring required – preliminary SMCs

Well 4D1, AGC100012326-KRWCA00004




*Supplemental monitoring required – preliminary SMCs

Well 7-02, CA1510022_015_015




Well 12A2



*Supplemental monitoring required – preliminary SMCs


1.5 Total Dissolved Solids (TDS)

11N/21W-08A01




*Supplemental monitoring required – preliminary SMCs

32S/25E-36R01




*Supplemental monitoring required – preliminary SMCs

32S/26E-14J02



32S/28E-16P02




MT = 1000
MO = 1000
CA MCL = 1000

Wet Above Normal Below Normal Dry Critical


*Supplemental monitoring required – preliminary SMCs

AGC100012326-KRWCA00069




*Supplemental monitoring required – preliminary SMCs

Berenda Mesa 3/T26S/R19E Well 2 (WESTC00025)




*Supplemental monitoring required – preliminary SMCs

BK 9 (30S/26E-16L01)




*Supplemental monitoring required – preliminary SMCs


CBK 41-01, CA1510031_098_098



CBK L201, CA1510031_028_028




CWS BK 062-02, CA1510003_038_038 (RMW-211R)




*Supplemental monitoring required – preliminary SMCs

CWS BK 140-01, CA1510003_105_105 (RMW-210R)




*Supplemental monitoring required – preliminary SMCs

East Niles #23 (ENCSD), CA1510006_032_032




*Supplemental monitoring required – preliminary SMCs


Frito Lay #1, CA1502615_001_001




Greenfield Taft Well, CA1510024_004_004




HMWD #23



Lamont #12, CA1510012_006_006




Lost Hills Utility District Well 3, CA1510046_006_006



■ Wet
 ■ Above Normal
 ■ Below Normal
 ■ Dry
 ■ Critical


*Supplemental monitoring required – preliminary SMCs

Meadows of the Kern 4




*Supplemental monitoring required – preliminary SMCs

Murray Family Farms Well 2, AGC100012326-KRWCA00025, CA1503565_002_002




*Supplemental monitoring required – preliminary SMCs

Nature Conservancy



*Supplemental monitoring required – preliminary SMCs


Primex Farm Water System Well 4, CA1503521_004_004




■ Wet
 ■ Above Normal
 ■ Below Normal
 ■ Dry
 ■ Critical

*Supplemental monitoring required – preliminary SMCs

RMW-004 (30S29E29A001M)




RMW-010 (ACSD Well #14), CA1510001_022_022




Wet Above Normal Below Normal Dry Critical

RMW-021




*Supplemental monitoring required – preliminary SMCs

RMW-025 (30S/27E-05D001) (ID4) - CBK-23




*Supplemental monitoring required – preliminary SMCs

RMW-043 (Olcese #4)




*Supplemental monitoring required – preliminary SMCs; Alternate TDS MT proposed is 20% increase of Max TDS of well


RMW-049 (30S26E15N003M)




RMW-062a (25M Enos), AGC100012326-KRWCA00021




RMW-065a (31H Greeley), AGC100012326-KRWCA00029



RMW-067a (35H RRBWSD Shop)




RMW-070, Caratan Well



*Supplemental monitoring required – preliminary SMCs


RMW-107 (28S22E10D002M), AGC100012323-BVCWD00002




■ Wet
 ■ Above Normal
 ■ Below Normal
 ■ Dry
 ■ Critical

*Supplemental monitoring required – preliminary SMCs

RMW-110 (DMW 07)




RMW-113b (DMW12b)




*Supplemental monitoring required – preliminary SMCs

RMW-148 (88-29-014)



RMW-159 (SSJMUD 23), AGC100012326-KRWCA00030




MT = 1000
MO = 1000
 CA MCL = 1000


■ Wet
 ■ Above Normal
 ■ Below Normal
 ■ Dry
 ■ Critical

*Supplemental monitoring required – preliminary SMCs


RMW-169 (28L)



RMW-172 (6C), AGC100012324-CAWDC00009




RMW-185 (EWMA #21)




*Alternate TDS MT proposed is 20% increase of Max TDS of well

RMW-189 (EWMA #41)




*Alternate TDS MT proposed is 20% increase of Max TDS of well


RMW-224 (31S29E10K001M)



RMW-225 (30S30E18G001M)




RMW-252 (Delano 30), CA1510005_036_036




Wet Above Normal Below Normal Dry Critical


RMW-256 (Wasco12), CA1510021_017_017




RMW-257 (Shafter 14), CA1510019_009_009




RMW-271 (Shafter Well 18), CA1510019_023_023



RMW-275 (7108-66)




RMW-281 (Delano 34), CA1510005_047_047



MT = 1000
MO = 1000
 CA MCL = 1000


■ Wet
 ■ Above Normal
 ■ Below Normal
 ■ Dry
 ■ Critical

RMW-288 (EWMA #49)




*Alternate TDS MT proposed is 20% increase of Max TDS of well


Well 4D1, AGC100012326-KRWCA00004



Well 7-02, CA1510022_015_015




Well 12A2



*Supplemental monitoring required – preliminary SMCs; Alternate TDS MT proposed is 20% increase of Max TDS of well


1.6 Uranium

11N/21W-08A01




*Supplemental monitoring required – preliminary SMCs

32S/25E-36R01




*Supplemental monitoring required – preliminary SMCs

32S/26E-14J02




*Supplemental monitoring required – preliminary SMCs

32S/28E-16P02




*Supplemental monitoring required – preliminary SMCs

AGC100012326-KRWCA00069




*Supplemental monitoring required – preliminary SMCs

Berenda Mesa 3/T26S/R19E Well 2 (WESTC00025)




*Supplemental monitoring required – preliminary SMCs

BK 9 (30S/26E-16L01)




*Supplemental monitoring required – preliminary SMCs


CBK 41-01, CA1510031_098_098



CBK L201, CA1510031_028_028




CWS BK 062-02, CA1510003_038_038 (RMW-211R)




*Supplemental monitoring required – preliminary SMCs

CWS BK 140-01, CA1510003_105_105 (RMW-210R)




*Supplemental monitoring required – preliminary SMCs

East Niles #23 (ENCSD), CA1510006_032_032




*Supplemental monitoring required – preliminary SMCs

Frito Lay #1, CA1502615_001_001




Greenfield Taft Well, CA1510024_004_004




*Supplemental monitoring required – preliminary SMCs

HMWD #23




*Supplemental monitoring required – preliminary SMCs

Lamont #12, CA1510012_006_006




*Supplemental monitoring required – preliminary SMCs

Lost Hills Utility District Well 3, CA1510046_006_006




*Supplemental monitoring required – preliminary SMCs

Meadows of the Kern 4




*Supplemental monitoring required – preliminary SMCs

Murray Family Farms Well 2, AGC100012326-KRWCA00025, CA1503565_002_002




*Supplemental monitoring required – preliminary SMCs

Nature Conservancy




*Supplemental monitoring required – preliminary SMCs

Primex Farm Water System Well 4, CA1503521_004_004




RMW-004 (30S29E29A001M)




*Supplemental monitoring required – preliminary SMCs

RMW-010 (ACSD Well #14), CA1510001_022_022




*Supplemental monitoring required – preliminary SMCs

RMW-021




*Supplemental monitoring required – preliminary SMCs

RMW-025 (30S/27E-05D001) (ID4) - CBK-23




*Supplemental monitoring required – preliminary SMCs

RMW-043 (Olcese #4)




*Supplemental monitoring required – preliminary SMCs

RMW-049 (30S26E15N003M)




*Supplemental monitoring required – preliminary SMCs

RMW-062a (25M Enos), AGC100012326-KRWCA00021




*Supplemental monitoring required – preliminary SMCs

RMW-065a (31H Greeley), AGC100012326-KRWCA00029




*Supplemental monitoring required – preliminary SMCs

RMW-067a (35H RRBWSD Shop)




*Supplemental monitoring required – preliminary SMCs

RMW-070, Caratan Well




*Supplemental monitoring required – preliminary SMCs

RMW-107 (28S22E10D002M), AGC100012323-BVCWD00002




*Supplemental monitoring required – preliminary SMCs

RMW-110 (DMW 07)




*Supplemental monitoring required – preliminary SMCs

RMW-113b (DMW12b)




*Supplemental monitoring required – preliminary SMCs

RMW-148 (88-29-014)




*Supplemental monitoring required – preliminary SMCs

RMW-159 (SSJMUD 23), AGC100012326-KRWCA00030




*Supplemental monitoring required – preliminary SMCs

RMW-169 (28L)




*Supplemental monitoring required – preliminary SMCs

RMW-172 (6C), AGC100012324-CAWDC00009




*Supplemental monitoring required – preliminary SMCs

RMW-185 (EWMA #21)




*Supplemental monitoring required – preliminary SMCs

RMW-189 (EWMA #41)




*Supplemental monitoring required – preliminary SMCs

RMW-224 (31S29E10K001M)




*Supplemental monitoring required – preliminary SMCs

RMW-225 (30S30E18G001M)




*Supplemental monitoring required – preliminary SMCs

RMW-252 (Delano 30), CA1510005_036_036




*Supplemental monitoring required – preliminary SMCs

RMW-256 (Wasco 12), CA1510021_017_017




*Supplemental monitoring required – preliminary SMCs

RMW-257 (Shafter 14), CA1510019_009_009




*Supplemental monitoring required – preliminary SMCs

RMW-271 (Shafter Well 18), CA1510019_023_023




*Supplemental monitoring required – preliminary SMCs

RMW-275 (7108-66)




*Supplemental monitoring required – preliminary SMCs

RMW-281 (Delano 34), CA1510005_047_047




*Supplemental monitoring required – preliminary SMCs

RMW-288 (EWMA #49)




*Supplemental monitoring required – preliminary SMCs

Well 4D1, AGC100012326-KRWCA00004




*Supplemental monitoring required – preliminary SMCs

Well 7-02, CA1510022_015_015



Well 12A2



*Supplemental monitoring required – preliminary SMCs