



Well Extraction Volume Reporting Form

Westside District Water Authority Groundwater Sustainability Agency

Per our [Well Extraction Volume Reporting Management Action](#), WDWA GSA requires all owners of groundwater extraction wells within [2.5 miles of the California Aqueduct between Mileposts 195 to 215](#) (“Buffer Zone”) to report their groundwater well extraction volumes annually. Owners must submit this form annually detailing the total monthly groundwater extracted for each well by **February 1** of the following year (e.g., data for 2024 must be submitted by February 1, 2025). As a reminder, owners were required to have all [existing wells registered](#) with WDWA GSA by September 24, 2024, and flowmeters installed on any active or standby¹ groundwater extraction wells within the Buffer Zone by December 31, 2024. In addition, beginning on December 9, 2024, a [groundwater extraction moratorium](#) is in place within the Buffer Zone.² Please contact Trevor Maggart at tmaggart@westsidewa.org or (661) 319-3089 if you have any questions.

Landowner Information

Landowner name:

Company/organization:

Flowmeter Verification

To verify the installation of flowmeters by December 31, 2024, WDWA GSA is requiring owners submit photo documentation of all flowmeters installed on active and standby groundwater extraction wells within 2.5 miles of the California Aqueduct between Mileposts 195-215.

Each photo submitted must include a clear identification label or method to match the photo with the specific well listed in the table below, preferably using the State Well ID. If the State Well ID is unknown, landowners may use one of the following alternative identifiers:

- **APN (Assessor's Parcel Number):** Clearly display the APN on the photo (or photo file name) to link the flowmeter to the corresponding well in the table below and your well registration form.

¹ Active groundwater extraction wells are defined as a well currently in use for its intended purpose. Standby wells are maintained and operational but are not regularly used but can be operated as needed, often for backup or emergency purposes.

² The groundwater extraction moratorium exempts the following groundwater extractions: (1) groundwater extractions for human health and safety (including, but not limited to, fire suppression, sanitation, and de minimis (two acre-feet or less) domestic use and (2) groundwater extraction for the sole purpose of collecting a water quality sample for testing. Landowners with extenuating circumstances that desire to extract groundwater for non-exempt purposes may petition the WDWA GSA Board of Directors for an exception following the procedure outline in the policy.



Well Extraction Volume Reporting Form

Westside District Water Authority Groundwater Sustainability Agency

- **Landowner-Assigned Well Name or Number:** If you use internal identifiers (e.g., "North Field Well 1"), ensure the label is visible in the photo (or photo file name) and matches the name/number listed in the table below and your well registration form.
- **GPS Coordinates:** Include latitude and longitude for the well if labels are not feasible.

Volumetric Extraction Data

Well	State Well ID # (if known)	APN	Total Monthly Groundwater Extraction Volume (AF or CFS)												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1															
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															

Certification Statement: I hereby certify that the above information is true and correct to the best of my knowledge.

Print Name:

Signature:

Date: